

GRATED KERB CATCH PIT WITH JUNCTION PIT



SECTION A-A

NOTE:

1. MINIMUM CONCRETE STRENGTH OF 25MPa AT 28 DAYS.

REV.	DATE	REVISION DESCRIPTION	DRN.	APPD.
A	22/10/15	ORIGINAL ISSUE	S.W.	S.P.

WENTWORTH SHIRE COUNCIL
WORTH THE DRIVE

GENERAL NOTES:
1. DRAWING NOT TO BE SCALED.
2. ALL MEASUREMENTS ARE IN MILLIMETRES UNLESS STATED OTHERWISE.
3. FOR UP-TO-DATE DRAWINGS PLEASE CONTACT WENTWORTH SHIRE COUNCIL (WSC) OR CHECK THE WSC WEBSITE.
4. ALL STANDARD DRAWINGS ARE TO BE USED IN CONJUNCTION WITH SD1-1 (STANDARD DRAWINGS CONDITIONS OF USE).

STANDARD DRAWINGS

GRATED KERB CATCH PIT WITH JUNCTION PIT AT BACK OF KERB

DATE CREATED:	DRG. NO:	REV:
22/10/15	SD5-13(i)	A

Drawing name: E:\my documents\0work\0jobs\3WC\standards development\standard drawings\SD5-13(i) REV A.dwg (04 Nov, 2015)